

NTC

Material Data Sheet

Product Class	NTC SMD B57xxxC0* 07.10.2019							
Date			1					
IMDS ID if available								
Version	5.04							
Product Part (IMDS: semi component)	Material Class (IMDS: Material)	Material (Classification) VDA 231	Substance	TMPS**) [wt%]	CAS if applicable	typical mass of material [wt-%]	Traces see 1)	
Active Part	Ceramic	3B	Mn3O4 NiO Co3O4 others*)	64 17 15 4	1317-35-7 1313-99-1 1308-06-1	90		
Termination	Noble Metal	1D7	Ag Pd	75 25	7440-22-4 7440-05-3	10		
					Sum of total	100		
sizes [mm] 1.6 x 0.8 2.0 x 1.25 3.2 x 1.6 Not part of a Product 0	weight range [g] 0.004 - 0.006 0.010 - 0.018 0.018 - 0.030	material numbers B57619C0* B57620C0* B57621C0*	case size 0603 0805 1206					
	1			Ilmnostont vomo	eko.			
Contact	Ronner Christoph				Important remarks:			
Division	PPD Q QM				The declaration limit is 0.1% as defined by IEC 62474 (IEC PAS 61906). Traces are product parts, substances etc. that are below a percentage of 0.1 % by weight, if not otherwise.			
Address	8530 Deutschlandsberg Tel:	, AUSTRIA mailto:		regulated.				
*) others: .(not declarab **) typical mass percent	+43 3462 800 2139 le or prohibited substan	functional.ppd-eqpm.db@t	dk-electronics.tdk.com	2) This Material Data Sheet contains typical values of the respective products set forth herein. We expressly point out that all values and statements contained herein are based on our best present knowledge and cannot be regarded as binding statements or binding product specifications, unless otherwise explicitly agreed in writing. TDK ELECTRONICS AG AND ITS AFFILIATES HEREBY EXPRESSLY DISCLAIM ANY REPRESENTATION OR WARRANTY, WHETHER EXPRESS, IMPLIED OR STATUTORY, WITH REGARD TO THE STATEMENTS AND VALUES CONTAINED HEREIN, INCLUDING BUT NOT LIMITED TO ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR SUITABILITY FOR ANY PURPOSE.				
of the European Parlian	nent and of the Council	of June 8 th , 2011 on the		ertain hazardous substanc	quirements according to Art. 4 es in electrical and electronic e	'	Directive 2011/65/EU	
□ Exemption 6 (b): Le □ Exemption 6 (c): Co □ Exemption 7 (a): Le □ Exemption 7 (c)-l: Le □ Exemption 7 (c)-li: Le □ Exemption 7 (c)-lii: Le □ Exemption 15: Le	ead as an alloying element in opper alloy containing up to ead in high melting temperat ectrical and electronic comp ead in dielectric ceramic in co ead in dielectric ceramic in co	n aluminium containing up to 4 % lead by weight; ure type solder (i.e. lead-bas ionents containing lead in a g apacitors for a rated voltage in apacitors for a rated voltage in apacitors for a rated voltage in a service of the serv	0,4 % lead by weight; ed alloys containing 85 % by llass or ceramic other than die of 125 V AC or 250 V DC or h of less than 125 V AC or 250	electric ceramic in capacitors, e. igher;	.g. piezoelectronic devices, or in a g	lass or ceramic matrix compoun	d;	